

Corded Metal Track


Made-to-Measure Order Form



Company Name:	AC No.	Date:
Contact Name:	Contact Email:	
Your Order Ref:	Contact Tel:	
Additional Order Info:		

Delivery Details:

1 Track Profile Colour & Bracket Options




☐ **Motiva Round**

☐ **WHITE**




☒ **BLACK**

☐ **SILVER**



☐ **Heavy Duty Corded**

☐ **WHITE**




☐ **W-Section Corded**

☐ **WHITE**

☒ **BLACK**



NOTE: For Wall Fix an additional 3cm L-Extension Bracket is required in addition to the Top Fix bracket



☐ **Recess M-Section**

☐ **WHITE**



If you require a Double Pole please complete a form for each pole – indicate relevant position with tick boxes shown here:

☐ **Front** ☐ **Back**

☐ **L-Extension Bracket**

NOTE: For Wall Fix SurgeWave System an L-Extension bracket will be required to ensure the track is projected far enough for it to work.

☐ **9cm** ☐ **14cm**

☐ **Bracket Covers**

Colour



☐ **14cm Double Pole**

If you require a Double Pole please complete a form for each pole – indicate relevant position with tick boxes shown here:

☐ **Front** ☐ **Back**

REN095-08-2110

OUR REF:

2 Number of brackets

Tables below show number of brackets provided and spacing cut off points. Additional Brackets are an optional extra.

Track Brackets Spacing break points for straight tracks										
100cm	150cm	200cm	250cm	300cm	350cm*	400cm*	450cm*	500cm*	550cm*	600cm*
3	4	5	6	7	8	9	10	11	12	13

☐ **Additional Brackets** – Quantity...

Type (if different)...

3 Glider Options
☐ **Standard** (without SurgeWave)


☐ **Standard 6mm Glider**
 Please confirm Colour
☐ **White** ☐ **Black**
☐ **Grey** ☐ **Gold**

☐ **Heavy Duty Glider**

☐ **Roller Glider**
NOTE: Not compatible with W-Section Track

☐ **Click-in 6mm Glider**

☐ **Caraglidars**

We allow 10 gliders per m. when creating your track. If you require more please specify here:

 p/m

☐ **With SurgeWave System**


☐ **SurgeWave 6mm Gliders-on-a-string**
☐ **60mm** ☐ **80mm**
 Please confirm Colour ☐ **White** ☐ **Black**

☐ **Roller SurgeWave Gliders-on-a-string**
☐ **60mm** ☐ **80mm**
 Available in white only

SurgeWave System Optional Extras

☐ **Friction Gliders**
 To help with Curtain Spring-Back
 Qty: 1 required per curtain

☐ **Neat Pleats**
 Ensures a 90° return to end pleats
 Qty: 2 required per curtain

4 Finial Options Motiva Track only
☐ **Plastic End Cap**

☐ **Metal End Cap**

☐ **Metal Ball Finial**

5 Straight Track size (for Bending/Bay Tracks please complete Step 7)

- ☐ **Single Track Length...** mm ☐ *Length includes Finials* ☐ *Length excludes Finials (Motiva only)*
- ☐ **Multiple Tracks** Please complete **Step 10**

6 Number of Track Pieces for straight tracks ☐ 1-piece Track ☐ 2-piece Track

Please note: Any track over 3m in length will be supplied in 2 pieces unless stated above!


7 Bay window design [Please see page 5 of this form to help provide the correct measurements]

- ☐ **Bay Pole – No. of Bends...** ☐ **Continuous Curve** ☐ **Returns – No. of Bends...**


Please note: The number of brackets provided for bent tracks may vary from those listed in the straight track tables in 2.

8 Cording Option

☐ **Corded**



Cord Drop...



Confirm Installation Height...

Please confirm your proposed track Installation height here


cm

Note: 1.5m will be deducted from the installation height off your cord length to meet Child Safety Regulations.



9 Stacking Options


☐ **Split Pair**




☐ **Single Stacked Left**




☐ **Single Stacked Right**




☐ **Corded Both Sides[‡]**
(Not applicable for Single Stacked)



☐ **Corded Left-hand Side**



☐ **Corded Right-hand Side**



[‡] Note: Corded Both Sides will be a 2 track solution

One side will be the left-hand stack with cording left, the other side will be the right-hand stack with cording right. The 2 tracks will butt-up as close as possible to meet in the middle – but please be aware that there will be a gap.



10 Multiple Track Details & Labelling

☐ **Total No. of Tracks following this spec**

☐ **Track 1** _____ cm

☐ **Track 2** _____ cm

☐ **Track 3** _____ cm

☐ **Track 4** _____ cm

☐ **Track 5** _____ cm

☐ **Track 6** _____ cm

☐ **Track 7** _____ cm

☐ **Track 8** _____ cm

☐ **Track 9** _____ cm

☐ **Track 10** _____ cm

Please provide any additional details that may assist in your order:

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

OUR REF:

Bending/Bay fitting required

Please complete the appropriate details below and include any additional drawings/photos that may help in the completion of your bending request. All measurements provided should be taken at the height the track will be fitted.

Please Note: All bends will have a minimum radius of 100mm. A minimum of 200mm distance is required between two bends.

Measurements shown are of...

☐ Track

☐ Wall*

*If wall measurements are provided a deductions in track size will be made in accordance to Project Size requested.

60mm SurgeWave = 7cm Brackets

80mm SurgeWave = 9cm Brackets

Bracket Type:

☐ Wall Fix

☐ Ceiling Fix ‡

Bracket Size:

_____cm

Projection Size:

_____cm


‡ NOTE: Ceiling Fix Tracks we will reduce the overall size of the track listed below by 5cm from each edge unless specified otherwise

Please confirm your bend type for the bracket positioning

☐ Internal

☐ External

☐ Single Left



Wall Measurements

A-B

_____mm

B-C

_____mm


Cross Measurement

A-C

_____mm

Angle at B

☐ Single Right



Wall Measurements

A-B

_____mm

B-C

_____mm

Cross Measurement


A-C

_____mm

Angle at B

☐ Square Bay

Supplied as 2 piece track unless specified in the tick box below.‡



Wall Measurements

A-B

_____mm

B-C

_____mm

C-D

_____mm

Cross Measurement

A-C

_____mm

A-D

_____mm


B-D

_____mm

If possible please confirm Angle at B

☐ Two Bend Bay

Supplied as 2 piece track unless specified in the tick box below.‡



Optional Returns

A minimum return of 200mm is required for external bend

1-A

_____mm


2-D

_____mm

Angle at C

☐ Four Bend Bay

Supplied as 2 piece track unless specified in the tick box below.‡



‡ Bay Bends are supplied as 2 piece tracks as standard unless specified

Tick here for 1 piece Track

☐

Wall Measurements

A-B

_____mm

B-C

_____mm

C-D

_____mm

D-E

_____mm

E-F

_____mm

G-H

_____mm

Cross Measurement

B-D

_____mm

C-E

_____mm

B-E

_____mm

A-E

_____mm

B-F

_____mm

A-F

_____mm

Optional Returns

A minimum return of 200mm is required for external bend

1-A


_____mm

2-F

_____mm

☐ Continuous Curved Bay

Supplied as 1 piece track



Cross Measurement*

A-B

_____mm

A-C

_____mm

A-D

_____mm

A-E

_____mm

B-E

_____mm

C-E

_____mm

D-E

_____mm

C-F

_____mm

Optional Returns

Note: A minimum return of 200mm is required

1-A

_____mm

2-E

_____mm

* The distance between points A-B, B-C, C-D & D-E should be approximately equal. These points should be temporarily marked on the wall for accurate measuring.

OUR REF:

TRACK:

COL:

PAGE 5 OF 5

REN095-08-22/02